



Department of Administrative Services

Purchasing and Contracts

500 S Grand Central Pky 4th Fl • Box 551217 • Las Vegas NV 89155-1217
(702) 455-2897 • Fax (702) 386-4914

Sabra Smith Newby, Chief Administrative Officer
Adleen B. Stidhum, Purchasing Manager



CLARK COUNTY, NEVADA
BID NO. 603550-14
TRAFFIC SIGNAL IMPROVEMENTS – CACTUS AVENUE/JONES
BOULEVARD AND CACTUS AVENUE/RAINBOW BOULEVARD

January 26, 2015

ADDENDUM NO. 1

INVITATION TO BID

1. The Bid Opening date of February 20, 2015 at 2:15:00 p.m. **remains unchanged.**

SPECIAL PROVISIONS

2. SECTION 623 TRAFFIC SIGNALS AND STREET LIGHTING

SUBSECTION 623.05.01 PAYMENT

Add the following to the seventh paragraph of this subsection:

(22) Traffic signal head tenons

SUBSECTION 623.05.01 PAYMENT

Replace the first sentence of the eighth paragraph of this subsection with the following:

The mast arms provided will not have tenons welded. Contractor shall be responsible for welding the Clark County-supplied tenons on the mast arms and for touching up mast arms using hot stick galvanizing method. Cold galvanizing and painted touch up will not be permitted.

3. SECTION 628 PAINTING TRAFFIC STRIPING, PAVEMENT MARKINGS AND CURB MARKINGS

SUBSECTION 628.02.01 MATERIALS FOR TRAFFIC STRIPING, PAVEMENT MARKING AND CURB MARKING

Add the following to this subsection:

Paint shall be 100 percent acrylic waterborne cross-link polymer white traffic paint, and shall be Ennis 985611 or an approved equal by the Engineer.

SUBSECTION 628.04.01 MEASUREMENT

Replace the last paragraph of this subsection with the following:

The quantity of 8" Solid White Line (Paint) will be measured per linear foot, complete and in place.

SUBSECTION 628.05.01 PAYMENT

Replace the eighth and ninth paragraphs of this subsection with the following:

The accepted quantity of 8" Solid White Line (Paint) will be paid for at the contract unit price per linear foot and shall include all materials, equipment, labor and all other items necessary to complete the work as shown on the plans, as specified herein and as directed by the Engineer.

Payment shall be made under:

<u>Pay Item</u>	<u>Pay Unit</u>
Type 2 Film (Crosswalks and Stop Bars)	Square Foot
Type 2 Film (Arrow Legend)	Each
Type 2 Film (Only Legend)	Each
Type 2 Film (Varies Solid Yellow)	Square Foot
Reflective Yellow Median paint	Square Foot
White Polyurea Pavement Marking (6" Solid)	Linear Foot
Type 2 Film (24" White Diagonal)	Square Foot
8" Solid White Line (Paint)	Linear Foot


4. **SECTION 630 SANITARY SEWERS**

Add this section (see attached).

OTHER CLARIFICATIONS

5. Bid Number 603550-14 was missing from the cover page of the Contract Documents and Special Provisions located on the original CDs issued. This Bid Number will be included on the cover page of Contract Documents included on future CDs as well as the "Issued for Construction" Documents.
6. The electronic filenames found on CDs should have referenced the correct bid number of 603550-14.

ISSUED BY:



ASHLEY BLANCO
Purchasing Analyst

Attachment: Special Provisions Section 630

Cc: Brooke Prescia, Public Works
Mike Mamer, Public Works
Ken Gilbreth, CH2MHILL
Lyle Wilcox, CH2MHILL

SECTION 630
SANITARY SEWERS

DESCRIPTION

630.01.01 WORK INVOLVED

The following is added to this subsection:

All sanitary sewer work shall be in accordance with the Design and Construction Standards for Wastewater Collection Systems (DCSWCS), latest edition.

CONSTRUCTION

The following subsection is added:

630.03.16 MANHOLE ADJUSTMENT

When adjusting manholes, all components must be set in a bed of grout: Burke Type V non-metallic, non-shrink. Burke can be mixed with equal parts of sand and Type V cement for components, but must be used full strength in pipe inverts.

Range of grade ring height allowed for new manhole construction or existing manhole adjustment shall be as follows:

<u>WIDTH OF STREET</u>	<u>COMMENTS</u>
Less than 65 feet	0 to 18 inches of adjustments allowed
Greater than 65 feet	6 inches to 19.5 inches of adjustment allowed for streets with unestablished grade
Any width	0 to 18 inches of adjustment allowed for streets with an established grade

In cases where a flat top would be required, it is permissible to place the top slab at the proposed street grade without grade rings.

Class A concrete collars for sanitary sewer manholes shall be constructed in accordance with the Design and Construction Standards for Wastewater Collection Systems, latest edition, Drawing SD-4, Manhole Concrete Collar.

METHOD OF MEASUREMENT

630.04.01 MEASUREMENT

This subsection is changed to read as follows:

Measurement for payment to adjust sewer manhole to finished grade will be per each sewer manhole adjusted, complete, in place and accepted.

BASIS OF PAYMENT

630.05.01 PAYMENT

This subsection is changed to read as follows:

The contract unit price paid per each to adjust sewer manhole to finished grade shall be full compensation to adjust sanitary sewer manholes to final grade of road surface, removal and disposal of existing concrete collars, adding or removing grade rings, replacement of manhole frames and covers if damaged, concrete, steel, excavation, backfill, compaction, related items of work not otherwise provided for, and for all labor, tools and equipment necessary to complete the work as specified herein, as shown on the plans and as directed by the Engineer.

No direct payment shall be made for removal, disposal and reconstruction of sidewalks, curb and gutters, any landscaping and/or driveways. The cost thereof shall be considered as included in the price bid for the construction and installation to which such removal and reconstruction is incidental or appurtenant.

No direct payment shall be made for coordination of shut downs, notifications, preparing reports, all testing, inspection and any associated permit fees, as required by the governing agency, and all related materials, equipment and labor to complete the work as such. The cost thereof shall be considered as included in the price bid for the construction and installation to which such works described above is incidental or appurtenant.

All payments will be made in accordance with subsection 109.02, "Scope of Payment."

Payment will be made under:

<u>Pay Item</u>	<u>Pay Unit</u>
Adjust Sewer Manhole to Finished Grade	Each