



SWIMMING POOL SITE DETAILS

Clark County
Dept. of Building & Fire Prevention
4701 W Russell Rd
Las Vegas, NV 89118
(702) 455-3000

Boulder City
Building Department
401 California Avenue
Boulder City, NV 89005
(702) 293-9282

Henderson
Bldg & Fire Safety Dept.
240 Water Street
Henderson, NV 89015
(702) 267-3650

Las Vegas
Building & Safety Dept.
333 N. Rancho Drive
Las Vegas, NV 89106
(702) 229-6251



SELF LATCHING.
THIS GATE SHALL
OPEN OUTWARD.

GATE LATCHES SHALL BE AT LEAST 4' ABOVE EXTERIOR GRADE, MOUNTED ON THE INSIDE, AND NOT WITHIN 6" OF THE TOP OF THE GATE. THE GATE SHALL BE A MIN. 5' HIGH. THE LATCH SHALL BE PROTECTED FROM ACCESS FROM THE EXTERIOR BY A RIGID PANEL 20" SIDES AND BOTTOM OF THE LATCH. TO THE

Mesquite
Building Department
10 East Mesquite Blvd.
Mesquite, NV 89027
(702) 346-2835

North Las Vegas
Building Department
2250 Las Vegas Blvd. N
N. Las Vegas, NV 89030
(702) 633-1577

Pahrump
Building & Fire Safet Dept.
250 N Hwy 160 Suite #3
Pahrump, NV 89060
(775) 751-3373