



# Clark County Department of Building & Fire Prevention

4701 West Russell Road • Las Vegas NV 89118

(702) 455-3000 • Fax (702) 221-0630

<b>Division:</b>	Building Plans & Engineering	<b>Code Interpretation</b>	BD-PP-135
<b>Subject:</b>	MINIMUM EXPLORATION REQUIREMENTS	<b>Effective Date:</b>	07/05/2011
<b>Code:</b>	2012 Southern Nevada Amendments to the IBC Section 1803.3.2	<b>Reviewed Date:</b>	01/07/2016

## A. POLICY




Section 1803.3.2 of the 2012 IBC, as amended by the Southern Nevada Amendments, requires a minimum exploration depth of 15 feet. Geotechnical reports written prior to July 5, 2011 shall be allowed to use a minimum exploration depth of ten feet as permitted by the geotechnical engineer of record.

## B. PROCEDURE

The plan reviewer shall review the geotechnical report and ensure the appropriate exploration depth is used based on the date of the report and the review of the geotechnical engineer of record.

### Revision History:

POLICY #	TITLE	Effective Date	Revised	Reviewed
BP-PP-135	Minimum Exploration Requirements	07/05/2011		10/30/2013
BP-PP-135	Minimum Exploration Requirements			03/02/2015
BD-PP-135	Minimum Exploration Requirements			01/07/2016

Developed by:	Reviewed by:
<i>Building Division (2011)</i>	 Ted Droessler <i>Engineering Manager</i>
	 Kevin McOsker <i>Plans Exam Manager</i>
	 Brenda Thompson <i>Inspection Manager</i>
Reviewed by:	Approved by:
 Samuel D. Palmer, P.E. <i>Assistant Director</i>	 Ronald L. Lynn <i>Director/Building &amp; Fire Official</i>