SWIMMING POOL SITE DETAILS

Clark County	Boulder City	Henderson	Las Vegas
Dept. of Develop. Services 4701 W Russell Rd Las Vegas, NV 89118 (702) 455-3000	Building Department 401 California Avenue Boulder City, NV 89005 (702) 293-9282	Bldg & Fire Safety Dept. 240 Water Street Henderson, NV 89015 (702) 267-3650	Building & Safety Dept. 731 S. 4th Street Las Vegas, NV 89101 (702) 229-6916





GATE LATCHES SHALL BE AT LEAST 4' ABOVE EXTERIOR GRADE, MOUNTED ON THE INSIDE,AND NOT WITHIN 6" OF THE TOP OF THE GATE. THE GATE SHALL BE A MIN. 5' HIGH. THE LATCH SHALL BE PROTECTED FROM ACCESS FROM THE EXTERIOR BY A RIGID PANEL 20" SIDES AND BOTTOM OF THE LATCH.TO THE

SELF LATCHING. THIS GATE SHALL OPEN OUTWARD.

Mesquite	North Las Vegas	Pahrump	
Building Department 10 East Mesquite Blvd. Mesquite, NV 89027 (702) 346-2835	Building Department 2240 Civic Center Drive N. Las Vegas, NV 89030 (702) 633-1577	Regional Planning District 1210 E. Basin Avenue, Suite #1 Pahrump, NV 89060 (775) 751-3373	