

SWIMMING POOL SITE DETAILS


2024 ISPSC

Clark County  
Building Department  
4701 W Russell Rd  
Las Vegas, NV 89118  
(702) 455-3000

Boulder City  
Building Department  
401 California Avenue  
Boulder City, NV 89005  
(702) 293-9282


Henderson  
Building & Fire Safety Department  
240 S. Water Street  
Henderson, NV 89015  
(702) 267-3650

Las Vegas  
Building & Safety  
495 S. Main Street  
Las Vegas, NV 89101  
(702) 229-6251



\* - PER ISPSC SECTION 327.2,  
POOLS CLOSER THAN 5.0' TO A  
BUILDING OR STRUCTURE MAY BE  
PERMITTED WHEN SUBSTANTIATED BY  
A NEVADA LICENSED CIVIL OR  
STRUCTURAL ENGINEER

\*\* - PER ISPSC SECTION 307.1.1,  
GLAZING WITHIN 5.0' OF THE  
WATER'S EDGE AND LESS THAN 5.0'  
ABOVE A STANDING OR WALKING  
SURFACE SHALL BE CONSIDERED A  
HAZARDOUS LOCATION.



SELF LATCHING.  
THIS GATE SHALL  
OPEN OUTWARD.

THE RELEASE MECHANISM OF THE SELF-LATCHING  
DEVICE SHALL BE LOCATED ON THE POOL OR SPA SIDE  
OF THE GATE NOT LESS THAN 3 INCHES OR MORE  
THAN 6 INCHES FROM THE TOP OF THE GATE OR  
DOOR. THE GATE SHALL NOT HAVE OPENINGS GREATER  
THAN 1/2" WITHIN 18 INCHES OF THE RELEASE  
MECHANISM. THE GATE SHALL NOT BE LESS THAN 60  
INCHES IN HEIGHT ABOVE ADJACENT GRADE AND THE  
MAXIMUM VERTICAL CLEARANCE BETWEEN THE GRADE  
AND BOTTOM OF THE GATE SHALL BE 4 INCHES.

Mesquite  
Building Department  
10 East Mesquite Blvd.  
Mesquite, NV 89027  
(702) 346-2835

North Las Vegas  
Building Safety  
2250 Las Vegas Blvd. N  
N. Las Vegas, NV 89030  
(702) 633-1577

Pahrump  
Nye County Building Department  
2041 E. Calvada Boulevard North  
Pahrump, NV 89048  
(775) 751-3373