

Designation of Public Areas for the Gathering of Signatures on Petitions for the Las Vegas-Clark County Library District Pursuant to NRS 293.127565

Urban Branch	Designated Area	Area 2
Centennial Hills Library	East side of the wall at the building's main entrance	West side of the wall at the building's main entrance
East Las Vegas	Along sides of main entrance walkway sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation	N/A
Enterprise Library	sufficient distance so as not to impede ingress or	Rear entrance near bike rack
Meadows Library	Cited by Clark County Election Department: In front of main entrance sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation http://www.clarkcountynv.gov/election/Documents/PetAreaDesig_CC.pdf	N/A
Rainbow Library	Main entrance in front of flag pole under tree	Area near tree adjacent to main entrance sidewalk
Sahara West Library	100 feet from the front entrance east of the center area with trees	100 feet from the front entrance west of the center area with trees
Spring Valley Library	On the sidewalk 20 feet to the west of the front entrance	On the sidewalk 35 feet to the northwest of the front entrance
Summerlin Library		
Sunrise Library	20 feet north of the main entrance	Flagpole alcove
West Charleston Library	East entrance at the far edge of the center circle	West entrance at the far edge of the center circle
Whitney Library	West of the end of the front walkway near the bike rack	East of the end of the front walkway
Windmill Library	East of the front entrance to the east of the trash receptacle	West of the front entrance to the west of the trash receptacle
West Las Vegas Library	North of the MLK entrance, from the doors to the staircase	West of the plaza outside the gate

Outlying Branch	Designated Area	Area 2
Blue Diamond Library	At the northwest front of the building	N/A
Bunkerville Library	Cited by Clark County Election Department: In front of main entrance sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation http://www.clarkcountynv.gov/election/Documents/PetAreaDesig_CC.pdf	N/A
Goodsprings Library	Near the bench at the south side of the building	Near the USPS mail box at the south side of the building
Indian Springs Library	Cited by Clark County Election Department: In front of main entrance sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation http://www.clarkcountynv.gov/election/Documents/PetAreaDesig_CC.pdf	N/A
Laughlin Library	Sidewalk area north of book drop	N/A
Mesquite Library	Along edges of walkway of main entrance sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation	Along sides of Learning Center entrance sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation
Moapa Town Library	Cited by Clark County Election Department: In front of main entrance sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation http://www.clarkcountynv.gov/election/Documents/PetAreaDesig_CC.pdf	N/A

Moapa Valley Library	West side of building in front of building lettering	N/A
Mount Charleston Library	Area between handicap ramp and east entrance sidewalk	N/A
Sandy Valley Library	Cited by Clark County Election Department: In front of main entrance sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation http://www.clarkcountynv.gov/election/Documents/PetAreaDesig_CC.pdf	N/A
Searchlight Library	Cited by Clark County Election Department: In front of main entrance sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation http://www.clarkcountynv.gov/election/Documents/PetAreaDesig_CC.pdf	N/A

REV 03/09/2026

Notice of Designated Areas to Gather Signatures for Petitions NRS 293.127565

Pursuant to NRS 293.127565, each public officer or employee in control of the operation of a building shall (a) designate the area at the building for the gathering of signatures; and (b) on an annual basis, submit to the Secretary of State and the County Clerk, for the county in which the building is located, a notice of the area at the building designated for the gathering of signatures on a petition. The Secretary of State shall make available to the public a list of the areas at public buildings designated for the gathering of signatures on a petition.

As a public officer/employee in control of the operations of the following building, I do hereby designate the following area(s) for the gathering of signatures on petitions:

Name of Building

Address of building

Area(s) designated for the gathering of signatures on petitions

County of: _____

Public Officer: _____
(Print Name)

Title: _____

(Authorizing Signature)

Date: _____

Address (if different from above): _____

Phone Number: _____

Blue Diamond Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: At the northwest front of the building with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Bunkerville Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors




Designated Area: Cited by Clark County Election Department: In front of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation



Centennial Hills Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: West side of the wall at the building's main entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: East side of the wall at the building's main entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Clark County Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: South side of the building to the east and west of the stairs near the flagpoles with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: North side of Theater entrance at the second wall light with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

East Las Vegas Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors




Designated Area: Along sides of main entrance walkway with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation

Goodsprings Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Near the bench at the south side of the building with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: Near the USPS mail box at the south side of the building with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation



Enterprise Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Main entrance walkway with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: Rear entrance near bike rack with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Indian Springs Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Cited by Clark County Election Department: In front of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation

Laughlin Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Sidewalk area north of book drop with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Meadows Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors




Designated Area: Cited by Clark County Election Department: In front of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation

Mesquite Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Along edges of walkway of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation

Mesquite Library Learning Center

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Along sides of Learning Center entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation

Moapa Town Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Cited by Clark County Election Department: In front of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation

Moapa Valley Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: West side of building in front of building lettering with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Mount Charleston Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Area between handicap ramp and east entrance sidewalk with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation



Rainbow Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Main entrance in front of flag pole under tree with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: Area near tree adjacent to main entrance sidewalk with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Sahara West Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: 100 feet from the front entrance east of the center area with trees with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: 100 feet from the front entrance west of the center area with trees with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Sandy Valley Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Cited by Clark County Election Department: In front of main entrance with sufficient distance so as not to impede ingress and egress of visitors or emergency evacuation

Searchlight Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: Cited by Clark County Election Department: In front of main entrance with sufficient distance so as not to impede ingress and egress of visitors or emergency evacuation

Spring Valley Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: On the sidewalk 20 feet to the west of the front entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: On the sidewalk 35 feet to the northwest of the front entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Summerlin Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors




Designated Area: North entrance to the north of the sculpture with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: North entrance to the west of the sculpture with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Sunrise Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: 20 feet north of the main entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: Area near tree adjacent to main entrance sidewalk with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

West Charleston Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: East entrance at the far edge of the center circle with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: West entrance at the far edge of the center circle with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

West Las Vegas Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: North of the MLK entrance, from the doors to the staircase with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: West of the plaza outside the gate with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Whitney Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: West of the end of the front walkway near the bike rack with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: East of the end of the front walkway with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Windmill Library

Designation of Public Areas for the Gathering of Signatures on Petitions

Designation of Public Areas for the Gathering of Protestors



Designated Area: East of the front entrance to the east of the trash receptacle with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Area 2: West of the front entrance to the west of the trash receptacle with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

**Designation of Public Areas for the Gathering of Signatures on Petitions for the Las Vegas-Clark County Library District
Pursuant to NRS 293.127565**

Metropolitan Branches	Designated Area	Area 2
Centennial Hills Library	East side of the wall at the building's main entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	West side of the wall at the building's main entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
Clark County Library	South side of the building to the east and west of the stairs near the flagpoles with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	North side of Theater entrance at the second wall light with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
East Las Vegas	Along sides of main entrance walkway with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation	N/A
Enterprise Library	Main entrance walkway with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	Rear entrance near bike rack with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
Meadows Library	Cited by Clark County Election Department: In front of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation	N/A
Rainbow Library	Main entrance in front of flag pole under tree with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	Area near tree adjacent to main entrance sidewalk with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
Sahara West Library	100 feet from the front entrance east of the center area with trees with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	100 feet from the front entrance west of the center area with trees with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
Spring Valley Library	On the sidewalk 20 feet to the west of the front entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	On the sidewalk 35 feet to the northwest of the front entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
Summerlin Library	North entrance to the north of the sculpture with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	North entrance to the west of the sculpture with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation

Sunrise Library	20 feet north of the main entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	Flagpole alcove with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
West Charleston Library	East entrance at the far edge of the center circle with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	West entrance at the far edge of the center circle with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
West Las Vegas Library	Northeast of the front entrance between flagpole and book drop with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	West of main entrance adjacent to employee entrance with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
Windmill Library	East of the front entrance to the east of the trash receptacle with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	West of the front entrance to the west of the trash receptacle with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
Whitney Library	West of the end of the front walkway near the bike rack with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	East of the end of the front walkway with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
Greater Clark County Branches	Designated Area	Area 2
Blue Diamond Library	At the northwest front of the building with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	N/A
Bunkerville Library	Cited by Clark County Election Department: In front of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation	N/A
Goodsprings Library	Near the bench at the south side of the building with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	Near the USPS mail box at the south side of the building with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation
Indian Springs Library	Cited by Clark County Election Department: In front of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation	N/A
Laughlin Library	Sidewalk area north of book drop with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	N/A



Mesquite Library	Along edges of walkway of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation	Along sides of Learning Center entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation
Moapa Town Library	Cited by Clark County Election Department: In front of main entrance with sufficient distance from entrance so as not to impede ingress and egress of visitors or emergency evacuation	N/A
Moapa Valley Library	West side of building in front of building lettering with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	N/A
Mount Charleston Library	Area between handicap ramp and east entrance sidewalk with sufficient distance so as not to impede ingress or egress of visitors or emergency evacuation	N/A
Sandy Valley Library	Cited by Clark County Election Department: In front of main entrance with sufficient distance so as not to impede ingress and egress of visitors or emergency evacuation	N/A
Searchlight Library	Cited by Clark County Election Department: In front of main entrance with sufficient distance so as not to impede ingress and egress of visitors or emergency evacuation	N/A