

WROUGHT IRON FENCE


2024 IBC

Clark County
Building Department
4701 W Russell Rd
Las Vegas, NV 89118
(702) 455-3000

Boulder City
Building Department
401 California Avenue
Boulder City, NV 89005
(702) 293-9282

Henderson
Building & Fire Safety Department
240 S. Water Street
Henderson, NV 89015
(702) 267-3650

Las Vegas
Building & Safety
495 S. Main Street
Las Vegas, NV 89101
(702) 229-6251



WROUGHT IRON FENCE NOTES:

1. PROVIDE FULL WELDS AT ALL TUBE MEMBER CONNECTIONS.
2. FENCE SHALL REMAIN OPEN. NO COVERINGS ALLOWED TO BE ATTACHED TO THE FENCE.
3. ALL FENCE COMPONENTS SHALL BE PRIMED AND COATED FOR EXPOSURE.
4. ALL MATERIAL TO HAVE MINIMUM YIELD STRENGTH OF 36 KSI.

Mesquite
Building Department
10 East Mesquite Blvd.
Mesquite, NV 89027
(702) 346-2835

North Las Vegas
Building Safety
2250 Las Vegas Blvd. N
N. Las Vegas, NV 89030
(702) 633-1577

Pahrump
Nye County Building Department
2041 E. Calvada Boulevard North
Pahrump, NV 89048
(775) 751-3373

Clark County School District
Building Department
1180 Military Tribute Place
Henderson, NV 89074
(702) 799-7605