

GLAZING AT POOL DECKS

2024 ISPSC

Clark County
Building Department
4701 W Russell Rd
Las Vegas, NV 89118
(702) 455-3000

Boulder City
Building Department
401 California Avenue
Boulder City, NV 89005
(702) 293-9282


Henderson
Building & Fire Safety Department
240 S. Water Street
Henderson, NV 89015
(702) 267-3650

Las Vegas
Building & Safety
495 S. Main Street
Las Vegas, NV 89101
(702) 229-6251

SAFETY GLAZING IS REQUIRED FOR GLAZING IN
WALLS OR FENCES ENCLOSING SWIMMING POOLS
AND SPAS WHEN THE FOLLOWING TWO CONDITIONS
BOTH EXIST:

1. THE BOTTOM EDGE OF THE GLAZING IS LESS
THAN 5' ABOVE THE SWIMMING POOL/SPA
DECKING.
2. THE GLAZING IS WITHIN 5' OF THE SWIMMING
POOL/SPA WATER EDGE.

UNDER THESE CONDITIONS SAFETY GLAZING IS
REQUIRED REGARDLESS OF THE SIZE OF THE
GLAZING PANELS.



Mesquite
Building Department
10 East Mesquite Blvd.
Mesquite, NV 89027
(702) 346-2835

North Las Vegas
Building Safety
2250 Las Vegas Blvd. N
N. Las Vegas, NV 89030
(702) 633-1577

Pahrump
Nye County Building Department
2041 E. Calvada Boulevard North
Pahrump, NV 89048
(775) 751-3373