



## Air Pollution Control Hearing Officer Meeting Docket

Clark County Building Department – Presentation Room  
4701 West Russell Road, Las Vegas, NV

**9:00 a.m. – May 21, 2026**

Hearing Officer: David O. Anderson  
Air Quality Staff: Anna Sutowska, Compliance and Enforcement Manager  
Sheenaleigh Lucas, Senior Air Quality Specialist  
Pamela Thompson, Senior Secretary

The Presentation Room is accessible to individuals with disabilities. With a 48-hour advance request, a sign language interpreter or other reasonable efforts to assist and accommodate persons with physical disabilities, may be made available by calling: (702) 455-3126, TDD (702) 385-7486, or TT/TDD: Relay Nevada 711, Toll-Free (800) 326-6868 or (800) 877-1219 (Spanish).

### I. CALL TO ORDER

### II. NOTICES OF VIOLATION

A. NON-CONTESTED CASES: The Hearing Officer may approve or disapprove Air Quality staff's proposed order levying the recommended penalty. If the proposed order is disapproved, the notice of violation will be rescheduled for hearing at a subsequent meeting.

1. **AMRIZE SOUTHWEST INC. (Part 70 Operating Permit, Source ID: 372)**

**NOV #10303** – For failing to conduct and maintain records of daily monitoring for the pressure drop across baghouse #2, associated with Emission Units (EUs): B004, B035, and B100; for failing to report permit deviations in the 2025 2<sup>nd</sup> Semi-Annual Report that did not result in excess emissions and for failing to report the actual monthly, consecutive 12-month emission unit throughput for the 2025 2<sup>nd</sup> semi-annual reporting period of July 1, 2025 through December 31, 2025; and for failing to identify Intermittent Compliance for ten permit conditions in the 2025 Annual Compliance Certification Report, as identified by Senior Air Quality Specialist Scott Rowsell during an on-site Full Compliance Evaluation on March 11, 12, and 13, 2026 at the operation of a sand and gravel, hot mix asphalt, and ready-mix concrete facility known as Amrize Southwest Inc. located at 5300 Sloan Road, in Clark County, Nevada.

*\*Continued on the next page.*

**Violation(s) Alleged:**

**Recommended Penalty: \$5,750.00**

- Violation #1 – 2022 Permit Condition III.E.11  
2022 Permit Condition III.G.2  
2022 Permit Condition III.G.4.j  
2025 Permit Condition 4.1.45  
2025 Permit Condition 4.3.2  
2025 Permit Condition 4.3.4  
2025 Permit Condition 4.3.6.bb
- Violation #2 – 2025 Permit Condition 4.4.4  
2025 Permit Condition 4.4.15.a
- Violation #3 – 2025 Permit Condition 4.4.2.c

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**2. ARMOROCK, LLC (Synthetic Minor (80) Source Permit, Source ID: 16948)**

**NOV #10277** – For failing to conduct and maintain records of the pressure drop readings across the spray booth exhaust filters for the Foam Coating with Spray Booth, Emission Unit (EU): D01; and for failing to conduct and maintain records of the inspections for the spray booth exhaust filters for the Foam Coating with Spray Booth, EU: D01, as identified by Senior Air Quality Specialist Camon Liddell during an on-site Full Compliance Evaluation on February 26, 2026 at the manufacturer of corrosion resistant sanitary sewer pipe and manhole stations operation located at 14555 South US Highway 95, in Clark County, Nevada.

**Violation(s) Alleged:**

**Recommended Penalty: \$7,880.00**

- Violation #1 – 2024 Permit Condition 4.1.27  
2024 Permit Condition 4.1.28  
2024 Permit Condition 4.3.1.c  
2024 Permit Condition 4.3.3
- Violation #2 – 2024 Permit Condition 4.1.28  
2024 Permit Condition 4.3.1.c  
2024 Permit Condition 4.3.3

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**3. BONNEVILLE NEVADA CORPORATION AND NSG NEW NCA HOLDINGS LLC D/B/A NEVADA COGENERATION ASSOCIATES #1 (Part 70 Operating Permit, Source ID: 360)**

**NOV #10282** – For failing to perform a linearity and cycle time test for NOx and CO on each Turbine, Emission Units: A001 through A003, within 168 consecutive stack operating hours after the probationary calibration error test that initiated the recertification period, as identified by Senior Air Quality Specialist Mike Murphy during an off-site compliance review conducted on March 17, 2026 of the 2025 2<sup>nd</sup> semi-annual report for the fossil fuel electric power generation plant known as Nevada Cogeneration Associates 1 located at 11401 North US 91 Highway, in Clark County, Nevada.

**Violation(s) Alleged:**

**Recommended Penalty: \$4,500.00**

- Violation #1 – Permit Condition 4.1.6  
40 CFR Part 75, Subpart C, Section 75.20(b)(3)(iv)(A)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

4. **BOYD GAMING CORPORATION (Minor Source Permit, Source ID: 775)**  
**NOV #10297** – For installing two unpermitted 3.0 MMBtu/hr LAARS Boilers, Model: OCV3000NJE1WA, and Serial Numbers: T22311900 and T22311901, to replace three 1.99 MMBtu/hr Natural Gas Water Heaters, Emission Units: A10 through A12, without first obtaining a revised permit authorizing the modification, as identified by Air Quality Specialist Adam Mancini during an on-site Full Compliance Evaluation on March 12, 2026 at the operation of a hotel and casino known as Suncoast Hotel and Casino, located at 9090 Alta Drive, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$1,725.00

Violation #1 – Permit Condition 5.1.10

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

5. **CALCON LLC (DCOP #59221)**  
**NOV #10305** – For failing to fully implement Best Available Control Measures onsite resulting in a fugitive dust plume to cross a property line; and for allowing tracked out soil debris onto a paved surface resulting in a fugitive dust plume to cross a property line, as identified by Senior Air Quality Specialist Andrew Kirk during a complaint investigation on April 6, 2026, at the Ely At Rancho construction project, located at 5050 North Rainbow Boulevard, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$7,000.00

Violation #1 – Section 94.14(a)(4)

Violation #2 – Section 94.14(e)(4)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

6. **CROWN CORK & SEAL USA, INC. (Synthetic Minor 80 Source Permit, Source ID: 18135)**  
**NOV #10281** – For failing to conduct and maintain records of daily visual observations of the dust collector while it was in operation; and for failing to conduct and maintain records of daily monitoring of the pressure drop across each dust collector cell for the Surface Coating Operation, Emission Unit: D01, as identified by Senior Air Quality Specialist Mike Murphy during an on-site Full Compliance Evaluation on February 19, 2026 at the operation of the aluminum can manufacturing process located at 1775 West Pioneer Boulevard, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$11,160.00

Violation #1 – 2025 Permit Condition 4.1.19

2025 Permit Condition 4.3.1.a

2025 Permit Condition 4.3.3

Violation #2 – 2023 Permit Condition 4.1.15

2023 Permit Condition 4.3.1.n

2023 Permit Condition 4.3.3

2024 Permit Condition 4.1.16

2024 Permit Condition 4.3.1.o

2024 Permit Condition 4.3.3

2025 Permit Condition 4.1.21

2025 Permit Condition 4.3.1.n

2025 Permit Condition 4.3.3

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

7. **CUPERTINO ELECTRIC, INC. (DCOP #58956)**

**NOV #10306** – For failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week; and for failing to fully implement Best Available Control Measures resulting in a fugitive dust plume to extend more than 100 feet, as identified by Air Quality Specialists Heath Richards and Marc Miller, and Acting Supervisor Katrinka Byers during a routine inspection on March 19, 2026, follow-up inspections on March 20, 24, 25 and 26, 2026, and April 1, 2026, a follow-up inspection before a Dust Advisory period on March 30, 2026, a follow-up inspection during a Dust Advisory period on March 31, 2026, a follow-up inspection before a Construction Notice period on April 2, 2026, and a follow-up inspection during a Construction Notice period on April 3, 2026, at the Dry Lake East Energy Center construction project, located at 14610 North Las Vegas Boulevard, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$26,000.00

Violation #1 – Sections 94.13(a) and (b)

Violation #2 – Sections 94.14(a)(3)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

8. **D.R. HORTON, INC. (DCOP #57840)**

**NOV #10292** – For failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week, as identified by Senior Air Quality Specialist Andrew Kirk during a routine inspection on March 26, 2026, and a follow-up inspection on March 30, 2026, at the Village At Tule Springs 1.15 & 1.16 construction project, located east of Grand Teton Drive and Tule Springs Parkway, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$6,500.00

Violation #1 – Sections 94.13(a) and (b)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

9. **ECOLOGY AUTO PARTS, INC. (DCOP #53997)**

**NOV #10304** – For failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week, as identified by Air Quality Specialist Allan Gutierrez during a routine inspection on March 24, 2026, and follow-up inspections on March 25 and 26, 2026, at the Hammer & Auto Roadway Improvements construction project, located on East Hammer Lane between Novak Street and Auto Street, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$3,750.00

Violation #1 – Sections 94.13(a) and (b)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**10. EMD ACQUISITION LLC (Part 70 Operating Permit, Source ID: 95)**

**NOV #10270** – For failing to maintain the differential pressure across the Hearth Baghouse, Control Device (CD)-H2, within the range of 1.0 to 9.0 inches of water column, as identified by Senior Air Quality Specialist Camon Liddell while performing a complaint investigation on February 26, 2026 at the operation of an inorganic chemical manufacturing facility located at 560 West Lake Mead Parkway, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$2,480.00

Violation #1 – Permit Condition 2.2.26  
Permit Condition 4.1.16  
Permit Table 4-2

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**11. EMD ACQUISITION LLC (Part 70 Operating Permit, Source ID: 95)**

**NOV #10275** – For exceeding the 4,000 hours per any 12-month consecutive limit for the operation of the Murray Trane Boiler, Emission Unit (EU): A07, from August 2025 through and including December 2025; for allowing the actual emissions to exceed the potential to emit limit for PM<sub>10</sub>, PM<sub>2.5</sub>, NO<sub>x</sub>, CO, SO<sub>2</sub>, and VOC, in any consecutive 12-month period for the Murray Trane Boiler, EU: A07, from August 2025 through and including December 2025; and for failing to submit a 24-hour exceedance notification and 72-hour report explaining the exceedance to the Control Officer for a deviation with excess emissions on the Murray Trane Boiler, EU: A07, for PM<sub>10</sub>, PM<sub>2.5</sub>, NO<sub>x</sub>, CO, SO<sub>2</sub>, and VOC for the month of December 2025, as identified by Senior Air Quality Specialist Camon Liddell while performing an off-site Partial Compliance Evaluation on March 17, 2026 of the operation of an inorganic chemical manufacturing facility located at 560 West Lake Mead Parkway, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$20,320.00

Violation #1 – Permit Condition 3.1.3  
Violation #2 – Permit Condition 3.2.7  
Permit Table 3-1  
Violation #3 – Permit Condition 4.4.5(a and b)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**12. FOR NEVADA DEVELOPMENT LLC (DCOP #59746)**

**NOV #10293** – For allowing soil to be tracked out greater than 50 feet in length onto a paved surface, as identified by Air Quality Specialist Marc Miller while performing a complaint investigation during a Dust Advisory period on March 31, 2026, at the Aliante Island construction project, located at Clayton Street and Dorrell Lane, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$1,500.00

Violation #1 – Section 94.14(d)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**13. GOODFELLOW CORPORATION (Minor Source Permit, Source ID: 16536)**

**NOV #10290** – For failing to operate the water curtain at all times surface coating is occurring in the spray booth, Emission Unit: A01, as identified by Senior Air Quality Specialist Mike Murphy while performing an on-site Full Compliance Evaluation on March 17, 2026 at the operation of a retail shop for aggregate machinery located at 12451 Old Highway 95, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$3,560.00

Violation #1 – Permit Condition 3.1.2

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**14. GYPSUM RESOURCES, LLC (Part 70 Operating Permit, Source ID: 17286)**

**NOV #10285** – For allowing the storage of material in a manner that allowed controllable particulate matter to become airborne from the 1/8” aggregate gypsum stockpile, Emission Unit: A32, and for failing to take reasonable precautions to prevent fugitive dust from becoming airborne, as identified by Senior Air Quality Specialist Michael Newell while performing an on-site Partial Compliance Evaluation during a Construction Notice period on March 7, 2026 at the gypsum processing operation located at 8360 Nevada Highway 159, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$2,500.00

Violation #1 – Permit Condition 2.2.39

Permit Condition 2.2.40

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**15. LAS VEGAS CONVENTION AND VISITORS AUTHORITY (Synthetic Minor Source Permit, Source ID: 100)**

**NOV #10272** – For exceeding the annual operational limit of 2,920 hours for the 10.0 MMBtu/hr Unilux Boiler, Emission Unit (EU): A11, during calendar year 2025, and for allowing the 10.0 MMBtu/hr Natural Unilux Boiler, EU: A11, to exceed the potential to emit limit for Particulate Matter 10 (PM<sub>10</sub>) PM<sub>2.5</sub>, Nitrogen Oxide, Carbon Monoxide, Sulfur Dioxide and Volatile Organic Compound, as identified by Senior Air Quality Specialist Michael Newell during an off-site compliance review conducted on March 9, 2026 of the February 19, 2026 24-Hour exceedance notification/72-Hour deviation report of the commercial center that offers convention and meeting spaces located at 3150 Paradise Road, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$7,897.50

Violation #1 – 2024 Permit and 2025 Permit Condition 3.1.1

2024 Permit and 2025 Permit Condition 3.2.2

2024 Permit and 2025 Permit Table 3-2

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

16. **LHOIST NORTH AMERICA OF ARIZONA, INC. (Part 70 Operating Permit, Source ID: 3) NOV #10302** – For allowing the storage of material in a manner that allowed controllable particulate matter to become airborne from the waste lime stockpile, Emission Unit (EU): A01, and for operating an unpaved haul road, EU: VPW, along the northern perimeter of the waste lime stockpile, EU: A01, in a manner which allowed controllable particulate matter to become airborne, as identified by Senior Air Quality Specialist Michael Newell while conducting surveillance in the Apex Region of Clark County during the Dust Advisory period on March 31, 2026 at the lime and lime products manufacturing operation known as Lhoist North America of Arizona Apex Plant located at 12101 North Las Vegas Boulevard, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$9,000.00

Violation #1 – Permit Condition 8.1.2  
Permit Table 8-1  
Section 41.1.2

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

17. **LOVE’S OF NEVADA, LLC (General Permit, Source ID: 16245) NOV #10294** – For failing to conduct and maintain records of Phase I vapor recovery system inspections, as identified by Senior Air Quality Specialist Camon Liddell during an on-site Full Compliance Evaluation on April 7, 2026 at the gasoline dispensing facility known as Love’s Travel Stop #340, located at 12501 North Apex Great Basin Way, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$3,370.00

Violation #1 – 2025 General Permit Condition 4.1.4(a through i)  
2025 General Permit Condition 4.3.2.b  
2025 General Permit Condition 4.3.4

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

18. **NDL GROUP, INC. (DCOP #59337) NOV #10286** – For failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week, as identified by Senior Air Quality Specialist Andrew Kirk during a routine inspection on February 26, 2026, and a follow-up inspection before a Dust Advisory period on March 4, 2026, at the Eagle Roofing construction project, located at 5108 Donovan Way, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$3,000.00

Violation #1 – Sections 94.13(a) and (b)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**19. NEW IMPERIO CONSTRUCTION LLC AND BOSSA NOVA APARTMENTS, LLC (Project #260080)**

**NOV #10278** – For failing to thoroughly inspect the facility for the presence of asbestos-containing materials prior to conducting renovation activities, as identified by Air Quality Specialist II Kevin Adoor while conducting routine patrol on February 27, 2026, at the Bossa Nova Apartments located at 3940 Algonquin Drive, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$1,500.00

Violation #1 – Section 13.1, 40 CFR §61.145(a)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**20. PLASTER DEVELOPMENT COMPANY, INC. (DCOP #59331)**

**NOV #10289** – For allowing loaded haul trucks to leave the site with uncovered loads; for failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week, and for failing to maintain a trackout control device in an effective condition at all access points where paved and unpaved access intersect; and for failing to obtain a Dust Control Operating Permit prior to commencing construction activities, as identified by Air Quality Specialist Damon Lindsay and Senior Air Quality Specialist Andrew Kirk during a complaint investigation on March 27, 2026, and follow-up inspection on March 28, 2026, at the Jessup & Richmar construction project, located at 2920 Richmar Avenue, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$5,875.00

Violation #1 – Section 94.13(b)

BMP 13(a)(5)

Violation #2 – Sections 94.13(a) and (b)

BMP 20(a)

Violation #3 – Section 94.4.1(a)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**21. PN II, INC. (DCOP #57933)**

**NOV #10301** – For failing to fully implement Best Available Control Measures resulting in a fugitive dust plume to extend more than 100 feet, as identified by Air Quality Specialist Canduella Rowsell during an inspection and complaint investigation during a Dust Advisory period on March 31, 2026, at the Lakemoor construction project, located at East Lake Mead Parkway and Lake Las Vegas Parkway, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$4,000.00

Violation #1 – Section 94.14(a)(3)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**22. REPUBLIC DUMPCO, INC. (Part 70 Operating Permit, Source ID: 395)**

**NOV #10291** – For exceeding the daily SO<sub>2</sub> limit of 0.15 lbs/MMBtu from Turbine #2, Emission Unit: E02, on February 18, 20, 24, and 25, 2026, as identified by Senior Air Quality Specialist Michael Newell during an off-site Partial Compliance Evaluation conducted on March 16, 2026 of two 24-Hour Notifications/72-Hour Deviation Reports and the February 2026 Energy Plant sulfur data records for the municipal waste management facility located at 13550 North Las Vegas Boulevard, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$1,920.00

Violation #1 – Permit Condition III.B.1.x  
Permit Table III-B-10

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**23. RIVERSIDE RESORT AND CASINO, INC. (Minor Source Permit, Source ID: 632)**

**NOV #10295** – For failing to conduct and maintain a record of the annual burner efficiency test on the 6.0 MMBtu/hr Boiler, Emission Unit: A01, in calendar year 2025, as identified by Air Quality Specialist Jeremy Shockley during an on-site Full Compliance Evaluation on March 18, 2026 at the commercial gaming and lodging operation known as Riverside Resort Hotel and Casino, located at 1650 South Casino Drive, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$975.00

Violation #1 – 2023 Permit Condition 4.1.7  
2023 Permit Condition 4.3.1.e  
2023 Permit Condition 4.3.3

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**24. SIERRA READY MIX LIMITED LIABILITY COMPANY (Synthetic Minor Source Permit, Source ID: 500)**

**NOV #10273** – For handling material in a manner that allowed controllable particulate matter to become airborne from the track mounted VGF/Crushing Plant, Emission Unit (EU): D02, stacker conveyor, EU: D05, and an excavator loading material from a stockpile, EU: A10, into the track mounted VGF/Crushing Plant; and for allowing tracked out dirt onto a paved road to extend more than 50 feet in cumulative length from the point of origin, as identified by Air Quality Specialist Tina Tope during an on-site Partial Compliance Evaluation while on routine patrol on March 4, 2026 at the ready-mix concrete aggregate processing operation located at 4150 Smiley Road, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$4,000.00

Violation #1 – Permit Condition 2.2.9  
Permit Condition 2.2.18  
Violation #2 – Permit Condition 2.2.12

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

25. **SPEC AGGREGATES L.L.C. (Portable Synthetic Minor Source Permit, Source ID: 18166) NOV #10274** – For allowing the transporting of material in a manner which allowed controllable particulate matter to become airborne from the haul road, Emission Unit: B02, as identified by Senior Air Quality Specialist Michael Newell during routine patrol while performing an on-site partial compliance evaluation on February 21, 2026 at the portable crushing and screening plant currently located southeast of Wagon Wheel and U.S. 95, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$2,000.00

Violation #1 – Permit Condition 2.2.7

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

26. **STRATOSPHERE GAMING LLC (Minor Source Permit, Source ID: 564) NOV #10296** – For exceeding the annual operational limit of 5,000 hours for the Natural Gas Boilers, Emission Units (EUs): A02a and A18, in 2025; for allowing the Natural Gas Boilers, EUs: A02a and A18, to exceed the potential to emit limit for PM<sub>10</sub>, PM<sub>2.5</sub>, NO<sub>x</sub>, CO, and VOC in 2025; and for failing to conduct and maintain records of the monthly hours of operation for the Natural Gas Boilers, EUs: A02a and A18, in January, June, and July of 2025, as identified by Air Quality Specialist Joshua Frye during an off-site Partial Compliance Evaluation conducted on April 6, 2026 of two 72-hour Deviation Reports and the associated boiler logs for the gaming and lodging operation located at 2000 South Las Vegas Boulevard in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$14,220.00

Violation #1 – Permit Condition 3.1.1

Violation #2 – Permit Condition 3.2.2

Permit Table 3-2

Violation #3 – Permit Condition 4.1.7

Permit Condition 4.3.1.f

Permit Condition 4.3.3

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

27. **TALUS DEVELOPMENT, LLC (Construction Project #60139, DCOP #n/a) NOV #10300** – For failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week; and for failing to obtain a Dust Control Operating Permit prior to commencing construction activities, as identified by Interim Supervisor Katrinka Byers and Air Quality Specialist Marc Miller during a complaint investigation on March 14, 2026, and follow-up inspections on March 19 and 25, 2026 at the Lightsource Vegas Fiber Install construction project (Assessor's Parcel Number 138-11-704-012), located southwest of the intersection of North Jones Boulevard and West Gowan Road, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$4,750.00

Violation #1 – Sections 94.13(a) and (b)

Violation #2 – Section 94.4.1(a)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**28. TARGET CONSTRUCTION, INC. (DCOP #46447)**

**NOV #10287** – For failing to fully implement Best Available Control Measures resulting in a fugitive dust plume to extend more than 100 feet, as identified by Air Quality Specialist Canduella Rowsell during a routine inspection on March 17, 2026, at the El Dorado Quarry construction project, located at 12495 South Old US 95 Highway, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$2,500.00

Violation #1 – Section 94.14(a)(3)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**29. TURANO NEVADA BAKING LLC (Synthetic Minor Source Permit, Source ID: 17908)**

**NOV #10271** – For installing and operating a Cummins, diesel-fired, 250 hp, fire pump without first obtaining a revised permit authorizing the modification, as identified by Senior Air Quality Specialist Camon Liddell during an on-site full compliance evaluation on February 23, 2026 of the commercial manufacturer of bread and bread products located at 490 East Bruner Avenue, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$3,000.00

Violation #1 – Permit Condition 5.1.10

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

**30. WESTLAND NELLIS LLC AND LAS VEGAS RESIDENTIAL PROPERTIES, LLC D/B/A WESTLAND REAL ESTATE GROUP (Project #260098)**

**NOV #10279** – For failing to thoroughly inspect the facility for the presence of asbestos-containing material prior to commencing demolition activities; and for failing to notify Air Quality 10 working days prior to commencement of demolition activities at the facility, as identified by Air Quality Specialist II Kevin Adoor during routine patrol when he observed that three adjacent structures had been demolished on March 4, 2026, at the Nellis Gardens Apartments located at 4255 North Nellis Boulevard in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$4,500.00

Violation #1 – Section 13.1, 40 CFR §61.145(a)

Violation #2 – Section 13.1, 40 CFR §61.145(b)(1)

Section 13.1, 40 CFR §61.145(b)(3)(i)

**ACTION REQUESTED:** Entry of an order finding the violation(s) occurred and levying the recommended penalty.

B. CONTESTED CASES

**Construction Violations:**

1. **JUNK REMOVAL AND BINS LLC D/B/A JUNK MAN (DCOP #60136)**

**NOV #10299** – For allowing soil to be tracked out greater than 50 feet in length onto a paved surface, as identified by Air Quality Specialist Marc Miller while performing a complaint investigation during a Dust Advisory period on March 31, 2026, at the Airport Clean Up construction project, located at the southwest corner of Carey Avenue and Simmons Street, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$1,250.00

Violation #1 – Section 94.14(d)

**ACTION REQUESTED:** Hearing

2. **LANZ CONSTRUCTION LLC AND BULMARO CRUZ, INDIVIDUALLY (Construction Project #60205, DCOP #n/a)**

**NOV #10307** – For failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week, as identified by Air Quality Specialist Mike Englehart, Senior Air Quality Specialist Andrew Kirk, and Air Quality Specialist Marc Miller while performing a complaint investigation during a Construction Notice period on April 3, 2026, and follow-up inspections on April 6 and 7, 2026, at the Dirt Removal construction project (Assessor's Parcel Number 125-24-304-007), located at 5521 Ano Drive, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$4,000.00

Violation #1 – Sections 94.13(a) and (b)

**ACTION REQUESTED:** Hearing

3. **SHAW-LUNDQUIST ASSOCIATES, INC. (DCOP #59958)**

**NOV #10288** – For failing to fully implement Best Available Control Measures resulting in a fugitive dust plume to extend more than 100 feet; and for failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week, as identified by Senior Air Quality Specialist Andrew Kirk and Acting Supervisor Katrinka Byers during a routine inspection on March 12, 2026, and follow-up inspections on March 13, 17, 18, and 19, 2026, at the Desert Flow At Southwest Ridge construction project, located on Warm Springs Road and South Fort Apache Road, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$9,750.00

Violation #1 – Section 94.14(a)(3)

Violation #2 – Sections 94.13(a) and (b)

**ACTION REQUESTED:** Hearing

4. **TBC-THE BORING COMPANY (DCOP #56887)**

**NOV #10298** – For failing to fully implement Best Available Control Measures resulting in a fugitive dust plume to cross a property line; and for failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week, as identified by Air Quality Specialist Damon Lindsay while performing a complaint investigation during a Dust Advisory period on March 31, 2026, and a follow-up inspection on April 1, 2026, at the Westgate Retrieval Site construction project, located at 3000 Paradise Road, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$4,500.00

Violation #1 – Section 94.14(a)(4)

Violation #2 – Sections 94.13(a) and (b)

**ACTION REQUESTED:** Hearing

5. **US EXPRESS CARRIERS LLC (DCOP #59948)**

**NOV #10283** – For failing to employ Best Available Control Measures and comply with soil stabilization standards 24 hours a day, 7 days a week, and for failing to install a trackout control device at all access points where paved and unpaved access intersect, as identified by Air Quality Specialists Allan Gutierrez and Richard Wyse during an initial inspection on February 12, 2026, a follow-up inspection on February 13, 2026, and a follow-up inspection during a construction notice period on February 17, 2026, at the Bunker Demolition + Paving construction project, located at 6665 West Gary Avenue, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$3,500.00

Violation #1 – Sections 94.13(a) and (b)

**ACTION REQUESTED:** Hearing

***Stationary Sources Violations:***

6. **AQUATIC CO. (Part 70 Operating Permit, Source ID: 75)**

**NOV #10276** – For exceeding the short-term emission limitation of 14.84 lb/hr for Volatile Organic Compounds (VOCs) on the Preconcentrators and Regenerative Thermal Oxidizer, Emission Unit (EU): A42, during a performance test, and operating the EU after a failed test; and for failing to demonstrate compliance with the minimum control efficiency requirement of 95% for VOCs on EU: A42 during a performance test, as identified by Senior Air Quality Specialist Camon Liddell during an on-site partial compliance evaluation on March 16, 2026 at the bathware manufacturing operation located at 201 North Meadow Valley Road, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$17,480.00

Violation #1 – Permit Condition III.C.1.b

Permit Table III-C-2

Violation #2 – Permit Condition III.C.3.e

**ACTION REQUESTED:** Hearing

***Asbestos Violations:***

**7. VALLEY ENVIRONMENTAL LLC D/B/A TRUSTED DEMOLITION & EARTHWORK AND SMART CONSTRUCTION, INC. (Project #260107)**

**NOV #10280** – For failing to thoroughly inspect the facility for the presence of asbestos containing materials prior to commencing demolition activities; and for failing to notify Air Quality 10 working days prior to demolition activities at the facility, as identified by Air Quality Specialist II Kevin Adoor during routine patrol when he observed demolition activities occurring at the Courtyard by Marriott located at 3275 Paradise Road, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$2,000.00

Violation #1 – Section 13.1, 40 CFR §61.145(a)

Violation #2 – Section 13.1, 40 CFR §61.145(b)(1)

Section 13.1, 40 CFR §61.145(b)(3)(i)

**ACTION REQUESTED:** Hearing

**8. VINCENT CURNUTT AND MIRIAM CURNUTT (Project #250621)**

**NOV #10263** – For failing to thoroughly inspect the facility for the presence of asbestos-containing material prior to conducting renovation activities; for failing to notify Air Quality 10 working days prior to the removal of Regulated Asbestos-Containing Material (RACM) at the facility; for failing to remove all RACM from the facility prior to renovation; for failing to adequately wet all removed RACM and ensure it remains wet until properly disposed; for failing to have at least one on-site representative trained in the provisions of the National Emission Standards for Hazardous Air Pollutants asbestos regulations and the means of complying with them; for failing to seal all asbestos-containing waste material in leak tight containers; and for failing to label waste containers with asbestos warning labels, as identified by Air Quality Specialist II Kevin Adoor while performing an inspection on November 18, 2025, at the condominium located at 730 South Royal Crest Circle, Unit 445, in Clark County, Nevada.

Violation(s) Alleged:

Recommended Penalty: \$6,000.00

Violation #1 – Section 13.1, 40 CFR §61.145(a)

Violation #2 – Section 13.1, 40 CFR §61.145(b)(1)

Section 13.1, 40 CFR §61.145(b)(3)(i)

Violation #3 – Section 13.1, 40 CFR §61.145(c)(1)

Violation #4 – Section 13.1, 40 CFR §61.145(c)(6)(i)

Violation #5 – Section 13.1, 40 CFR §61.145(c)(8)

Violation #6 – Section 13.1, 40 CFR §61.150(a)

Section 13.1, 40 CFR §61.150(a)(1)(iii)

Violation #7 – Section 13.1, 40 CFR §61.150(a)(1)(iv)

*Continued from 3/19/2026*

**ACTION REQUESTED:** Hearing

**III. ADJOURNMENT**